# Oxidising Gas 2 Hazchem Sign

## Product Images



## Description

Indicates the storage or containment of Class 2 Oxidising Gases within a facility, vehicle or container etc.

- Class 2 Oxidising Gases are those that, by providing oxygen can cause or contribute to the combustion of other materials.
- Examples: Chlorine, nitrous oxide, oxygen, and compressed air.
- Read Chapter 2.2 of the Australian Dangerous Goods Code for more information (latest edition - 7.6) – available here.
- Recognisable by a yellow background with black wording, a circular flame symbol and the number '2'.
- Complies with ADG, WHS Regulations and Australian Standard AS1216-2006.
- Available in a large range of materials and sizes to suit any application.
- Hazchem signs are required at any workplace that stores hazardous chemicals over a certain quantity.
- During an emergency situation, this sign will allow emergency services to identify any chemicals present.
- It is important as a business to correctly label all hazardous chemicals using the appropriate Hazchem Signage.

All Bronson Safety Hazchem signage meets the requirements of Australian Government Legislation.

- For more information on Class 2 Oxidising Gases, click here.
- For information on Hazchem labelling and signs in a workplace, read WorkSafe Australia's Model Code of Practice – view here.
- For all other information, consult the Dangerous Goods Storage and Handling Regulations for your State or Territory – click here.

**Click here to see our complete range of HAZCHEM & GHS Signs.**

## Additional Information

| | |
|---|---|
| Safety Sign Type | GHS & Hazchem |

## Product Options

| | |
|---|---|
| Sign Size: | 50mm x 50mm |
| | 100mm x 100mm |
| | 150mm x 150mm |
| | 200mm x 200mm |
| | 270mm x 270mm |
| Sign Material: | Colorbond Steel |
| | Polypropylene |
| | Self Adhesive Vinyl |