






PolyBlade Tactiles

Product Images







Description

PolyBlade Tactiles offer an alternative installation option to the standard PolyStud Tactile product. PolyBlade is ideal for projects such as railway platforms and new residential developments and offers the visual benefits of a discrete tactile and the installation speed and economy of an integrated tactile.

- PolyBlade Tactiles are highly versatile and suited to a wide range of situations and is easily installed onto most substrate surfaces using a saw-cut process.
- Manufactured from specially formulated polymers PolyBlade Tactiles are designed to be wear and UV resistant for long term performance.
- Is resistant to cleaning chemicals, oils and greases.
- Hazard and Directional Indicators available in 6 colours. Yellow, Ivory, Black, Ocean Blue, Terracotta and

Orange.

- P5 safety rating. Complies to Australian Standard AS 4586:2013 and AS1428:2009
- Dimensions: Hazard: 600mm length. Directional: 300mm length.
- 10mm blade depth resists movement over time and reduces the risk of damage to the substrate.

Quantity required:

- **(Hazard) per Lineal Metre at 600mm wide: 20qty/lm**
- **(Directional) per Lineal Metre at 600mm wide: 27qty/lm**

Product Options

Stair Nosing Tactile Colour:	Black
	Ivory
	Ocean Blue
	Orange
	Terracotta
	Yellow
Tactile Type:	Hazard Indicator
	Directional Indicator