



# Speed Hump Bulldog™ Plastic Compliance

## Product Images



## Description

Our Bulldog™ Plastic Compliance Speed Humps are a great combination of toughness, longevity and affordability.

- Fully compliant with Australian standards AS/NZS 2890.1:2004. Specially developed U.V. stabilised composite plastic construction means that they will not fade or degrade over time.
- Manufactured from environmentally friendly Linear Low Density Polyethylene (LLDPE).
- Designed to minimise noise – perfect for residential areas.
- Easy, one-person job to install.
- Suitable for extremely high traffic areas.
- Outperforms and outlasts cheaper rubber speed humps.
- Extremely economical speed hump – compare our prices.

- Slip-resistant cross-hatch surface.
- Built-in cable channel 25(W) x 30(H)mm
- Outstanding night time visibility thanks to inbuilt prismatic reflectors.
- Reinforced mounting points provide extra stability.
- **Bolts Not Included - We recommend the [A4916 Hilti Anchor Bolts](#) for both concrete & bitumen applications.**
- BODY Dimensions: 250 x 350 x 60mm (requires 2 Hilti Anchor Bolts per Body supplied separately)
- END CAP Dimensions: 180 x 350 x 60mm (requires 2 Hilti Anchor Bolts per End Cap supplied separately)

[Learn more about Speed Humps here](#)

## Additional Information

---

Brand	Bulldog™
-------	----------

## Products in this set

---



**Yellow Body - Speed Hump Bulldog™**



**Black Body - Speed Hump Bulldog™**



**Yellow End Cap - Speed Hump Bulldog™**



**Black End Cap - Speed Hump Bulldog™**