Bulldog™ Tough Bloc Water Filled Barrier

Product Images



Description

Legendary toughness now comes at an affordable price! These new delineators from Bulldog™ Barriers are built to last in the toughest environments – and they won't break your budget either. Perfect for use as low speed zone barriers, pedestrian delineators, crowd control and construction site barriers. Roto-moulded in 1 piece to eliminate seams that can break open under pressure. Constructed from heavy duty poly-ethylene material that has been UV stabilised for the harsh Aussie sun, these barriers can be used again and again on different work sites. Designed to comply with Australian Standard AS1742-3-1996 Traffic Control Devises for works on roads, Section 3.10.1 (C).

- Technical details: Tough Roto Moulded construction
- Dimensions: 2000(L) x 1000(H) x 150 (top width)/500 (bottom width)mm
- Weight empty 22kg, weight full 265kg
- UV stabilised
- Recommended fill height 450mm: 260 litres
- Unique interlocking system for fast deployment
- No connecting pins required

Additional Information

Webbing Colour	Red
Brand	Bulldog™
Barrier Length	2000mm
Barrier Width	150mm (top) / 500mm (bottom)
Barrier Height	1000mm
Barrier Weight: Empty	22kg
Barrier Weight: Full	265kg

Product Options

Barrier Colour:	#c4183d
	#eeeeee