


C1 Combustible Liquid Hazchem Sign

Product Images





Description

Indicates the storage or containment of Class C1 Combustible Liquids within a facility, vehicle or container etc.

- Class C1Combustible Liquids are those which have a closed cup flashpoint of between 60 °C and 93 °C.
- C1 Combustible Liquids are not classified as dangerous goods for transport purposes. However, industry practice is often to display "Combustible Liquid" in the area normally used for placarding.
- Examples: Diesel fuel, acetic acid and kerosene.
- Must be visibly displayed where Class C1 Combustible Liquids are stored or handled.
- White background with black wording and border.
- Available in a large range of materials and sizes.
- Read the Australian Dangerous Goods Code and AS 1940-2004 for more information on Combustible Liquids.
- Hazchem Signs help to designate and identify certain hazardous materials in a facility, vehicle or storage container etc.
- Allows emergency services to quickly identify all chemicals present and the hazards involved.
- It is important as a business to correctly label all hazardous chemicals using the appropriate Hazchem Signage.

Bronson Safety Hazchem signage meets the requirements of Australian Government Legislation.

- View 'AS1940-2017 The storage and handling of flammable and combustible liquids' for storage and handling requirements.
- For information on Hazchem labelling and signs in a workplace, read WorkSafe Australia's Model Code of Practice view here.
- For all other information, consult the Dangerous Goods Storage and Handling Regulations for your State or Territory click here.

Additional Information

Safety Sign Type

GHS & Hazchem

Product Options

Sign Size:	50mm x 50mm
	100mm x 100mm
	150mm x 150mm
	200mm x 200mm
	270mm x 270mm
Sign Material:	Colorbond Steel
	Polypropylene
	Self Adhesive Vinyl